

MSDS : BLACK RE-INKING FLUID

CAS :

NAME : *** proprietary ***

M&R MARKING SYSTEMS INC -- BLACK RE-INKING FLUID

Material Safety Data Sheet

MSDS Num: BSQSQ
MSDS NAME: BLACK RE-INKING FLUID
Responsible Party
Name: M&R MARKING SYSTEMS INC
Address: 69 MYRTLE ST
Box: 1070
City: CRANFORD NJ 07016
Info Phone: 908-272-2000
Emergency Phone Number: 908-272-2000
Proprietary Ind: Y
Published: Y

Contractor Summary

Name: M&R MARKING SYSTEMS INC
Address: 69 MYRTLE ST
Box: 1070
City: CRANFORD NJ 07016
Phone: 908-272-2000

Ingredients

Name: *** PROPRIETARY ***

Health Hazards Data

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.
Route Of Entry Inds - Inhalation: YES
Skin: NO
Ingestion: YES
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: ACUTE/CHRONIC:NONE KNOWN. INHAL:VAPOR OR MIST

GENERATED AT
HIGH TEMPERATURE MAY BE IRRITATING. SKIN:PROLONGED CONTACT MAY
BE IRRITATING.

EYE:CONTACT MAY CAUSE IRRITATION. INGEST:MAY CAUSE IRRITATION O F
MOUTH &
THROAT.

Explanation Of Carcinogenicity: NOT RELEVANT

Signs And Symptoms Of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: EYE:FLUSH THOROUGHLY W/WATER FOR AT LEAST 15 MINUTES. SEEK
MEDICAL

ATTENTION IF IRRITATION PERSISTS. SKIN:WASH CONTAMINATED AREAS
W/SOAP &

WATER. IF IRRITATION PERSISTS, OBTAIN MEDICAL ASSISTANCE. INH
AL:REMOVE TO

FRESH AIR. INGEST:IF CONSCIOUS, GIVE PLENTY OF WATER. OBTAIN MEDICAL
ASSISTANCE.

Handling and Disposal

Spill Release Procedures: SOAK UP ON PAPER OR OTHER ABSORBANT & SCOOP
INTO

CONTAINERS. FLUSH AREAS W/PLENTY OF WATER.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: REMOVE TO AN APPROVED LANDFILL SITE OR
INCINERATOR.

NOTE: DISPOSE OF ALL WASTES I/A/W FEDERAL, STATE & LOCAL
REGULATIONS.

Handling And Storage Precautions: STORE AT ROOM TEMPERATURE. STORE IN A
DRY

PLACE. KEEP COVERED WHEN NOT IN USE.

Other Precautions: AVOID CONTAMINATION OF FOOD, DRINK, ETC.

Fire and Explosion Hazard Information

Flash Point Method: COC

Flash Point Text: 260F,127C

Extinguishing Media: FOAM, CARBON DIOXIDE, DRY CHEMICAL.

Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA & FULL
PROTECTIVE

EQUIPMENT (FP N).

Unusual Fire/Explosion Hazard: NONE KNOWN

Control Measures

Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE

FOR
EXPOSURE OF CONCERN (FP N). NOT NECESSARY.
Ventilation: MECHANICAL VENTILATION ACCEPTABLE.
Protective Gloves: RUBBER GLOVES.
Eye Protection: ANSI APRV CHEMICAL WORKERS GOGGLES (FP N
Other Protective Equipment: IMPERVIOUS CLOTHING WHERE SKIN CONTACT IS
UNAVOIDABLE; EYEWASH.
Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health: NONE SPECIFIED BY MANUFACTURER.

=====
Physical/Chemical Properties
=====

B.P. Text: 470F,243C
Vapor Pres: <1 @ 20C
Vapor Density: <3
Spec Gravity: <1 (H*2O=1)
Solubility in Water: APPRECIABLE
Appearance and Odor: BLACK LIQUID; MILD ODOR.

=====
Reactivity Data
=====

Stability Indicator: YES
Stability Condition To Avoid: NONE KNOWN
Materials To Avoid: OXIDIZING MATERIALS.
Hazardous Decomposition Products: (INCLUDING COMBUSTION PRODUCTS):
CARBON
MONOXIDE &/OR CARBON DIOXIDE.
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: NOT RELEVANT

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
HAZCOM Label
=====

=====
MSDS NAME: BLACK RE-INKING FLUID
Company: M&R MARKING SYSTEMS INC
Street: 69 MYRTLE ST
PO Box: 1070
City: CRANFORD NJ
Zipcode: 07016
Health Emergency Phone: 908-272-2000
Label Required IND: Y
Date Of Label Review: 04/12/1993
Status Code: C
Label Date: 04/12/1993
Origination Code: G
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: CAUTION
Respiratory Protection IND: YES
Health Hazard: Slight
Contact Hazard: Slight
Fire Hazard: Slight
Reactivity Hazard: None
Hazard And Precautions: COMBUSTIBLE. AVOID OXIDIZERS. ACUTE:INHAL:VAPOR
OR MIST
GENERATED AT HIGH TEMPERATURE MAY BE IRRITATING. SKIN:PROLONGED
CONTACT MAY
BE IRRITATING. EYE:CONTACT MAY CAUSE IRRITATION. INGEST:MAY CAUSE
IR RITATION
OF MOUTH & THROAT. CHRONIC:NONE SPECIFIED BY MANUFACTURER.
=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.

*** END OF RECORD ***